

10/696,719

## WEST Search History





DATE: Tuesday, August 29, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L35	L34 and ((against or bias\$3 or press\$5) WITH surface)	20
<input type="checkbox"/>	L34	L31 & L26	60
<input type="checkbox"/>	L33	L31 & L30	12
<input type="checkbox"/>	L32	L31 & L29	19
<input type="checkbox"/>	L31	(lens\$2 or filter\$3 or optical\$2) SAME (magnet\$6 NEAR5 pairs) SAME (hous\$3 or enclosure\$1 or chamber\$1) SAME (hold\$3 or support\$3 or carrier\$1) SAME (recess\$2 or cavity or cavities)	73
<input type="checkbox"/>	L30	L29 and (recess\$2 or cavity or cavities) SAME (stop\$4 or limit\$3)	81
<input type="checkbox"/>	L29	L28 & L27	329
<input type="checkbox"/>	L28	L25 and ((against or bias\$3 or press\$5) WITH surface)	514
<input type="checkbox"/>	L27	L26 and ((against or bias\$3 or press\$5) WITH surface)	348
<input type="checkbox"/>	L26	(lens\$2 or filter\$3 or optical\$2) SAME (magnet\$6 NEAR5 pairs) SAME (adjust\$4 or position\$4)	2240
<input type="checkbox"/>	L25	L24 and (slid\$3 or mov\$5 or linear\$2) and (position\$4 or adjust\$4)	3173
<input type="checkbox"/>	L24	(lens\$2 or filter\$3 or optical\$2) SAME (magnet\$6 NEAR5 pairs)	4943
<input type="checkbox"/>	L23	L22 & L17	19
<input type="checkbox"/>	L22	L21 & L18	60
<input type="checkbox"/>	L21	L20 & L19	75
<input type="checkbox"/>	L20	((optical\$2 WITH (element\$1 or component\$1 or device\$1)) or lens\$2) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (cavity or cavities or recess\$2 or enclosure\$1 or chamber\$1)	130
<input type="checkbox"/>	L19	((optical\$2 WITH (element\$1 or component\$1 or device\$1)) or lens\$2) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (pol\$7 or attract\$3 or repuls\$3)	726
<input type="checkbox"/>	L18	((optical\$2 WITH (element\$1 or component\$1 or device\$1)) or lens\$2) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (adjust\$4 or position\$4)	966
<input type="checkbox"/>	L17	((optical\$2 WITH (element\$1 or component\$1 or device\$1)) or lens\$2) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (stop\$4 or limit\$3)	266
<input type="checkbox"/>	L16	L15 & L10	6
<input type="checkbox"/>	L15	L14 & L11	38
<input type="checkbox"/>	L14	L13 & L12	200

<input type="checkbox"/>	L13	(optical\$2 WITH (element\$1 or component\$1 or device\$1 or lens\$2)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (pol\$7 or attract\$3 or repuls\$3)	330
<input type="checkbox"/>	L12	(optical\$2 WITH (element\$1 or component\$1 or device\$1 or lens\$2)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (adjust\$4 or position\$4)	436
<input type="checkbox"/>	L11	(optical\$2 WITH (element\$1 or component\$1 or device\$1 or lens\$2)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (stop\$4 or limit\$3)	91
<input type="checkbox"/>	L10	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (slid\$3 or push\$3 or pull\$3)	49
<input type="checkbox"/>	L9	(optical\$2 WITH (element\$1 or component\$1 or device\$1 or lens\$2)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME ((wheel WITH filter\$3) or turret\$1)	2
<input type="checkbox"/>	L8	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME ((wheel WITH filter\$3) or turret\$1)	1
<input type="checkbox"/>	L7	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (slid\$3 or push\$3 or pull\$3)	23
<input type="checkbox"/>	L6	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (stop\$4 or limit\$3)	30
<input type="checkbox"/>	L5	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME ((stop\$4 or limit\$3) WITH surface)	4
<input type="checkbox"/>	L4	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (adjust\$4 or position\$4)	135
<input type="checkbox"/>	L3	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1) SAME (pol\$7 or attract\$3 or repuls\$3)	111
<input type="checkbox"/>	L2	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1)	242
<input type="checkbox"/>	L1	(optical\$2 WITH (element\$1 or component\$1 or device\$1)) SAME (magnet\$6 NEAR10 pair\$1) SAME (hold\$3 or support\$3 or carrier\$1 or hous\$3 or baseplate\$1 or plate\$1)	190

END OF SEARCH HISTORY

10/696,719

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	154	359/819,821,822,831,871,813,903.CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7)	USPAT ; EPO; DERWE NT	2006/08/29 16:44	
2	BRS	L2	0	359/819,821,822,831,871,813,903.CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3) SAME (recess\$2 or cavity or cavities)	USPAT ; EPO; DERWE NT	2006/08/29 16:47	
3	BRS	L3	13	359/819,821,822,831,871,813,903.CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3)	USPAT ; EPO; DERWE NT	2006/08/29 16:49	
4	BRS	L4	21	359/819,821,822,831,871,813,903.CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3)	USPAT ; EPO; DERWE NT	2006/08/29 16:50	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L8	0	356/39,40,136,137,244. CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3) SAME (bias\$3 or against or press\$5)	USPAT ; EPO; DERWE NT	2006/08/29 16:56	
6	BRS	L9	0	356/39,40,136,137,244. CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3)	USPAT ; EPO; DERWE NT	2006/08/29 16:56	
7	BRS	L10	0	248/206.5,476.CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3)	USPAT ; EPO; DERWE NT	2006/08/29 16:57	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L11	0	248/206.5,476.CCLS. and (lens\$2 or filter\$3 or (optical ADJ component\$1) or (optical ADJ element\$1)) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3)	USPAT EPO; DERWE NT	2006/08/29 16:59	
9	BRS	L12	0	356/39,40,136,137,244. CCLS. and (lens\$2 or filter\$3 or (optical ADJ component\$1) or (optical ADJ element\$1)) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3)	USPAT EPO; DERWE NT	2006/08/29 17:00	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L7	8	359/819,821,822,831,871,813,903.CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3) SAME (bias\$3 or against or press\$5)	USPAT; EPO; DERWE NT	2006/08/29 17:05	
11	BRS	L13	21	359/819,821,822,831,871,813,903.CCLS. and (lens\$2 or filter\$3 or (optical ADJ component\$1) or (optical ADJ element\$1)) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3)	USPAT; EPO; DERWE NT	2006/08/29 17:12	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	L5	21	359/819,821,822,831,871,813,903.CCLS. and (lens\$2 or filter\$3) SAME magnet\$6 SAME (slid\$3 or linear\$2 or rotat\$7 or turret\$1 or wheel) SAME (project\$3 or illuminat\$3 or emi\$5) SAME (hold\$3 or support\$3 or carrier\$1 or base\$1 or baseplate\$1 or hous\$3) and (adjust\$4 or position\$3)	USPAT; EPO; DERWE NT	2006/08/29 17:19	
13	BRS	L14	94	359/821,822.CCLS. and magnet\$6 SAME (adjust\$4 or position\$4 or align\$4)	USPAT; EPO; DERWE NT	2006/08/29 17:21	
14	BRS	L15	39	359/821,822,824.CCLS. and magnet\$6 SAME (adjust\$4 or position\$4 or align\$4) SAME (lens\$2 or filter\$3 or (optical ADJ component\$1) or (optical ADJ element\$1)) SAME (press\$5 or bias\$3 or against)	USPAT; EPO; DERWE NT	2006/08/29 17:37	